

L Number	Hits	Search Text	DB	Time stamp
1	87	\$partition\$ adj4 \$allocation\$ and @pd < "19981013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 16:51
2	694	\$partition\$ same \$allocation\$ and @pd < "19981013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 17:00
3	0	\$partition\$ same preallocation\$ and @pd < "19981013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 17:01
4	6	\$partition\$ same pre-allocation\$ and @pd < "19981013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 17:03
5	0	initial same \$partition\$ same pre-allocation\$ and @pd < "19981013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 17:04
6	41	initial same \$partition\$ same allocation\$ and @pd < "19981013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 17:04
-	382	partition\$ adj4 allocation\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 13:38
-	347	partition\$ adj4 allocation\$ and (group set)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 15:20
-	59	partition\$ adj4 allocation\$ and (group set) and coupling	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 15:20
-	23	partition\$ adj4 allocation\$ same system and (group set) and coupling	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:39
-	6	partition\$ adj4 allocation\$ same system and (group set) and coupling and @pd < "19981013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 15:22
-	17	partition\$ adj4 allocation\$ and ("pre-partitioning" "pre-allocating" "pre-partitionion" "pre-allocation" "pre-partition" "pre-allocate" "pre-partitioned" "pre-allocated")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:39

-	1	partition\$ adj4 allocation\$ and ("pre-partitioning" "pre-allocating" "pre-partitionion" "pre-allocation" "pre-partition" "pre-allocate" "pre-partitioned" "pre-allocated") and @pd < "19981013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 19:16
-	8	partition\$ adj4 allocation\$ and ("pre-partitioning" "pre-allocating" "pre-partitionion" "pre-allocation" "pre-partition" "pre-allocate" "pre-partitioned" "pre-allocated") and @ad < "19991013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 19:09
-	0	partition\$ adj4 allocation\$ and ("pre-partitioning" "pre-partitionion" "pre-partitioned" "pre-partition") and ("pre-allocation" "pre-allocate" "pre-allocating" "pre-allocated") and @ad < "19991013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 19:11
-	0	("pre-partitioning" "pre-partitionion" "pre-partitioned" "pre-partition") and ("pre-allocation" "pre-allocate" "pre-allocating" "pre-allocated") and @ad < "19991013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 19:18
-	17	partition\$ adj4 allocation\$ and ("pre-partitioning" "pre-allocating" "pre-partitionion" "pre-allocation" "pre-partition" "pre-allocate" "pre-partitioned" "pre-allocated")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 10:09
-	0	("pre-partitioning" "pre-partitionion" "pre-partitioned" "pre-partition") and ("pre-allocation" "pre-allocate" "pre-allocating" "pre-allocated")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 19:18
-	1	(prepartitioning prepartitioned prepartition "pre-partitioning" "pre-partitioned" "pre-partition") and (preallocation preallocated preallocating preallocate "pre-allocation" "pre-allocate" "pre-allocating" "pre-allocated")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 10:14
-	20	"5666525"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 19:38
-	0	("pre-partitioning" "pre-partition" "pre-partitioned") and ("pre-allocated" "pre-allocating" "pre-allocation" "pre-allocate")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 10:11
-	1	("pre-partitioning" "pre-partition" "pre-partitioned" prepartition prepartitioning prepartitioned) and ("pre-allocated" "pre-allocating" "pre-allocation" "pre-allocate" preallocate preallocated preallocating preallocation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 10:13
-	27	(prepartitioning prepartitioned prepartition "pre-partitioning" "pre-partitioned" "pre-partition") and \$allocat\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 10:14
-	6	(prepartitioning prepartitioned prepartition "pre-partitioning" "pre-partitioned" "pre-partition") and \$allocat\$ and @pd < "19981013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 11:01

-	15	"5943652"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:33
-	10	task same processor same indicat\$ same \$allocat\$ same \$partition\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 12:07
-	0	task same processor same indicat\$ same preallocat\$ same prepartition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 12:07
-	0	task same processor same indicat\$ same prepartition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 12:09
-	0	task same processor same prepartition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 12:09
-	2	task same processor same preallocat\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 12:10
-	22	task same data same pre-allocat\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 12:11
-	4	task same data same pre-allocat\$ and @pd < "19981013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 12:11
-	82	partition\$ adj4 allocation\$ and @pd < "19981013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 16:46
-	0	prepartition\$ adj4 preallocation\$ and @pd < "19981013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 12:16
-	8	prepartition\$ and @pd < "19981013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:33
-	286	preallocat\$ and @pd < "19981013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:01

-	221	preallocat\$ same (data block process code program element part) and @pd < "19981013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 12:28
-	30	preallocat\$ same (data block process code program element part) same (hardware software) and @pd < "19981013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 12:29
-	8	"5764953"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:33
-	2	"5764953" and @pd < "19981013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:51
-	0	"09615221"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:39
-	2	"09/615221"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:39
-	2	"5737728" and @pd < "19981013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:52
-	3	"5590269" and @pd < "19981013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:55
-	12	"5467268" and @pd < "19981013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:55
-	124	preallocat\$ same system and @pd < "19981013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:02
-	10	preallocat\$ same system same (\$partition\$ divid\$ seperat\$) and @pd < "19981013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:09
-	10	preallocat\$ same system same (\$partition\$ divid\$ seperat\$) and @pd < "19981013" and (data process system divide seperated seperating seperation dividing processing code coding program programming block diagram task target coupling couple preallocating preallocated preallocation preallocate prepartitioning prepartitionned prepartition allocated allocate allocating allocation partition partitionned partitioning partitionning modularity component segment interleave interleaving interleaved insert inserting inserted insertion put element hardware software)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:16

-	11	preallocat\$ same system same (\$partition\$ divid\$ seperat\$ splitting splitted split break) and @pd < "19981013" and (data process system divide seperated seperating seperation dividing processing code coding program programming block diagram task target coupling couple preallocating preallocated preallocation preallocate prepartitioning prepartitionned prepartition allocated allocate allocating allocation partition partitionned partitioning partitionning modularity component segment interleave interleaving interleaved insert inserting inserted insertion put element hardware software)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:22
-	8	prepartition\$ and @pd < "19981013" and (data process system divide seperated seperating seperation dividing processing code coding program programming block diagram task target coupling couple preallocating preallocated preallocation preallocate prepartitioning prepartitionned prepartition allocated allocate allocating allocation partition partitionned partitioning partitionning modularity component segment interleave interleaving interleaved insert inserting inserted insertion put element hardware software)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:35
-	400	constraint-based	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 13:39
-	84	constraint-based and heuristics	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 13:39
-	25	constraint-based and heuristics and software and partitioning	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 13:56
-	4	constraint-based and heuristics and software and partitioning and allocation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 13:56
-	2	constraint-based and heuristics and software and partitioning and allocation and heterogeneous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 13:44
-	2	constraint-based and heuristics and software and partition\$3 and allocat\$3 and heterogeneous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 13:45
-	9	constraint-based and heuristics and software and partition\$3 and allocat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:31
-	1	pre\$partition\$3 and pre\$allocat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 13:48
-	9	constraint-based and heuristics and software and \$partition\$3 and \$allocat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 13:57

-	329	"initial partitions" "initial partition" "initial partitioning" " initial partitioned"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:32
-	126	("initial partitions" "initial partition" "initial partitioning" " initial partitioned") and \$4allocat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:32
-	48	("initial partitions" "initial partition" "initial partitioning" " initial partitioned") and \$4allocat\$4 and @pd < "19991013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:36
-	255	model\$ adj2 system and partition\$3 and allocat\$4 and interleav\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 15:36
-	483	model\$ adj2 system and partition\$3 and allocat\$4 and (interleav\$3 insert\$3 input\$3 put\$4) and @ad < "19991013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 15:43
-	468	model\$ adj2 system and partition\$3 and allocat\$4 and (interleav\$3 insert\$3 input\$3 put\$4) and (code software program programming) and (data information) and @ad < "19991013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 15:45
-	49	"heterogeneous distributed system"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 15:46
-	10	"heterogeneous distributed system" and partition\$3 and allocat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 15:46
-	9	"heterogeneous distributed system" and partition\$3 and allocat\$3 and @ad < "19991013"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 15:47